Nimonic 75 80A 90 Monel Alloy K500 R405 2.4999 UNS R30035 MP35N Nickel

Nimonic 75 80A 90 Monel Alloy K500 R405 2.4999 UNS R30035 MP35N Nickel Alloy Round Bar

Basic Information

Place of Origin: China
Brand Name: Qingsen
Model Number: Monel K-500
Minimum Order Quantity: 1-2 ton
Price: negotiable
Packaging Details: carton box
Delivery Time: 15-20 days

• Payment Terms: Western Union, MoneyGram, T/T



Product Specification

• Type: Nickel Bar

Grade: Ni,Cu,Fe, C,Mn,Si,S
Dimension: 8.0mm-200mm
Certificate: ISO9001

• Shape: Round, Flat, Square, Triangle, Hexagon,

Angle

• Resistance ($\mu\Omega$.m): 1.5

Surface: Black , Pickled, Bright

• Density: 8.83 G/cm3

• Highlight: Nimonic 75 Monel Alloy K500,

Monel Alloy K500 R405,

UNS R30035 nickel alloy round bar

Product Description

Nimonic 75 80A 90 Rod Monel K-500 R-405 2.4999 UNS R30035 MP35N Nickel Alloy Steel Round Bar &Rod

| | , c |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | Ton Ferronickel Nichrome Rod Invar Superalloy Monel Incoloy Ni80cr20 |
| Name | Inconel 625 Steel Nickel Alloy Round Bar |
| Туре | Cold drawn, Hot rolled, Forged, |
| Shape | Round |
| Standard | GB,AISI,ASTM,DIN,EN,JIS |
| | Stainless steel 304 / 304L / 310S / 316L / 316Ti / 316LN / 317L / 904L / 2205 / 2507 / 32760 / 253MA / 254SMo / XM-19 / S31803 / S32750 / S32205 / F50 / F60 / F55 / F60 / F61 / F65 etc |
| Grade | Monel 400 / Monel K-500 |
| | Inconel 600 / Inconel 601 / Inconel 625 / Inconel 617 / Inconel 690 / Inconel 718 / Inconel X-750 |
| | Incoloy A-286 / Incoloy 800 / Incoloy 800H / Incoloy 800HT |
| | Incoloy 825 / Incoloy 901 / Incoloy 925 / Incoloy 926 |
| | Nimonic 75 / Nimonic 80A / Nimonic 90 / Nimonic 105 / Nimonic C263 / L-605 |
| | Hastelloy B / Hastelloy B-2 / Hastelloy B-3 / Hastelloy C / Hastelloy C-276 / Hastelloy C-22 |
| | Hastelloy C-4 / Hastelloy C-2000 / Hastelloy G-35 / Hastelloy X / Hastelloy N |
| | PH stainless steel 15-5PH / 17-4PH / 17-7PH |
| Diameter | 6mm - 600mm |
| Finish | Bright, Pickling, Black, Polished |
| Packing | Wooden box, Waterproof polybag |
| Inspection | TUV,BV,ABS,LR and so on |
| Application | Construction, shipbuilding, Chemical, Pharmaceutical & Bio-Medical, Petrochemical & Refinery, Environmental, Food Processing, Aviation, Chemical Fertilizer, Sewage Disposal, Desalination, Waste Incineration etc. |
| Processing | Machining : Turning / Milling / Planing / Drilling / Boring / Grinding / Gear Cutting / CNC Machining |
| | Deformation processing: Bending / Cutting / Rolling / Stamping |
| | Forged |
| Sample | Free |
| | |

| | *** | | | | | | | | | | | |
|-----------------------------------------------------------|-----------|----------------------|-----------|-----------------------------|---------|---------------|------------|--------------------|----------|--------------|-----------|------|
| Chemical Cor | nposition | | | | | | | | | | | |
| Grade | Ni% | Cu% | Fe% | | Mn% | C% | | Si% | , 0 | S | % | |
| Monel 400 | Min 63 | 28-34 | Max 2. | 5 | Max 2.0 | Max | 0.30 | Ма | x 0.50 | M | Max 0.024 | |
| Monel 400 Int | ernationa | l Brand | | | | | | | | | | |
| USA | | | GE | | | | | UK | | F | FR | |
| | | SEW VDIUV | | | | | | BS | / | AFNOR | | |
| Monel 400 | 00 | W.Nr.2.4360 NiCu30Fe | | | | | | NA 12 | : r | Nu 30 | | |
| Physical Prop | erties | | | | | | | | | | | |
| Grade | De | ensity I | | | | Melting Point | | | | | | |
| Monel 400 | | | .83 g/cm3 | | | | 1300 -1390 | | | | | |
| Mechanical P | roperties | | | | | | | | | | | |
| Alloy Tensile (Rm N | | Strength nm2) | | Yield strength (RP0.2N/mm2) | | | Elon | Elongation(A5%) HB | | | НВ | |
| Monel 400 480 | | | 170 | | | | 35 | 35 ≥33 | | | | ≥331 |
| Production St | andard | | | | | | • | | | | | |
| Bar | | Fo | orging | | Pipe | oe : | | Sheet/Strip | | Welding Wire | | Vire |
| Standard ASTM B164 ASTM B564 ASTM B165 ASTM B127 ERNiCu-7 | | | | | | | | | <u> </u> | | | |

→ Monel K-500(UNS N05500)

| 化学成分 | 合金 | % | 镍Ni | 铜Cu | 铁Fe | 铝AL | 碳C | 钛Ti | 猛Mn | 硅Si | 硫F |
|-------------------------------------|-----------------------------|-----------------------------------------------------------------|------------------------------|----------------------------------|-----------------------------------|--------------------------------------|------------------------------------|------------------------------|-----------------------------------|--------------------------------|----------------------|
| Chemical Composition | 500 | 最小min | 63 | 27 | | 2.30 | - | 0.35 | - | - | - |
| | 500 | 最大max | - | 33 | 2.0 | 3.15 | 0.08 | 0.85 | 1.5 | 0.5 | 0.0 |
| 物理特性 Physical Characteristics | 密度 Density 8.05g/cm³ | | | | | | | | | | |
| | 焙点 Melting point 1288-1343℃ | | | | | | | | | | |
| 在常温下合金 的机械性能的 最小值 | 典 | 型机械性能 | 2.0 | 抗拉强度 Rm N/mm² | | 屈服强度 RP0.2 N/mm ² | | 延伸率 A5% | | 测试温度 Test ℃ | |
| | | 固溶处理 | | 1100 | | 790 | | 20 | | 常温 | |
| 特性 characteristic | | MONEL K5 度和硬度。 | | | | | | 蚀性能, 作 | 旦是具有更 | 厄高的机械 | 强 |
| 金相结构 Metallographic structure | Monel500合金的组织为高强度的单相固溶体 | | | | | | | | | | |
| 耐腐蚀性 Corrosion resistance | | Monel k-500 海水中比铜 可耐氢氟酸。 性极佳,而且 空气中连续。 Monel500合 | 基合金更 中为数极 且孔蚀、 工作的最 | 具耐蚀性。 少的重要权 应力腐蚀等 高温度一般 | Monel50 料之一。 也很少发 在600°C | 0在浓度小水腐蚀:M 水腐蚀:M 现,腐蚀 左右,在高 | v于85%的 lonel500 速度小于 高温蒸汽 | 的硫酸中都合金在多 0.025mm 中,腐蚀 | 限是耐蚀的 数水腐蚀物 /a。高温/ 速度小于0 |]:Monel k- 情况下,不 腐蚀:Mone | 500是 仅耐饱 1500在 |
| 应用范围 应用领域 Application | | 主要用于制造的紧固件、多 | | | | | | | | 六,用于制造 | 5船舶. |
| | A | | | Ļ | | | | | en. | | |

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018. Our products cover more than 800 kinds which include Door Lock System. Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need. Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry. when you need any parts related to a truck or trailer or container of anykind. Qingsen is your world-wide ONE-STOP SHOP. With more than 500 suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35~days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

Suzhou Industrial PARK Qingsen Trading Co., Ltd.

+8613815258017

sales@qingsensz.com.cn



Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park