

Nimonic 80A 90 Monel Alloy K500 R405 2.4999 UNS R30035 MP35N Monel Round Bars

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: Monel K-500
- Minimum Order Quantity:
- Price: n
- Packaging Details:
- Delivery Time: 15-2
- Payment Terms:
- 1-2 ton negotiable carton box 15-20 days Western Union, MoneyGram, T/T

China

Qingsen



Product Specification

• Type:	Nickel Bar
Grade:	Ni,Cu,Fe, C,Mn,Si,S
• Diameter:	3-480mm
Certificate:	ISO9001
 Technology: 	Cold Rolled/hot Rolled
• Length:	3000mm, 4000mm,5800mm,6000mm,12000mm,or As Required.
• Surface:	Bright
 Density: 	8.83 G/cm3
Highlight:	80A Monel Alloy K500, Monel Alloy K500 R405, UNS R30035 monel round bars

Product Description

	Duplex: 2205(UNS S31803/S32205),2507(UNS S32750),UNS S32760(Zeron						
	100),2304,904L						
	Others: 253Ma,254SMo,654SMo,F50(UNS S32100)F60,F61,F65,1J22,N4,N6 etc						
	Alloy : Alloy 20/28/31;						
	Hastelloy: Hastelloy B/ -2/B-3/C22/C-4/S/ C276/C-2000/G-35/G-30/X/N/g;						
	Hastelloy B / UNS N10001,Hastelloy B-2 / UNS N10665 / DIN W. Nr. 2.4617,Hastelloy C,Hastelloy C-4 / UNS N06455 / DIN W. Nr. 2.4610,Hastelloy C-22 / UNS N06022 / DIN W. Nr. 2.4602,Hastelloy C-276 / UNS N10276 / DIN W. Nr. 2.4819,Hastelloy X / UNS N06002 / DIN W. Nr. 2.4665						
	Haynes: Haynes 230/556/188;						
Grade	Inconel 718 / UNS N07718 / DIN W. Nr. 2.4668,Inconel 601 / UNS N06601 / DIN W. Nr. 2.4851.						
	Inconel 625 / UNS N06625 / DIN W. Nr. 2.4856,Inconel 725 / UNS N07725,Inconel X-750 / UNS N07750 / DIN W. Nr. 2.4669,Inconel 600 / UNS N06600 / DIN W. Nr. 2.4816						
	Monel: Monel 400/K500/R405						
	Nimonic: Nimonic 40/50/6075/80A/90/A263 ;						
Surface Finish	polish bright black						
	JIS/SUS/GB/DIN/ASTM/AISI/EN						
Techniqu Ə	Cold Rolled; Hot Rolled						
Diameter	3-480mm						
_ength	3000mm, 4000mm,5800mm,6000mm,12000mm,or as required.						
Applicati on	Widely used in petroleum,foodstuff,chemical industry,construction, electric power,nuclear,energy,machinery,biotechnology,paper making,shipbuilding,boiler fields.						
Lead Time	7-15 working days after the receipt of 30% deposit						
Payment Terms	30% TT for deposit,70% TT /70% LC at sight balance before shipment						
Price Terms	FOB, EXW, CIF, CFR						
Packing	Standard Seaworthy Package or according to customer's requirements						
Containe r Size	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM						
SIZE	40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM						

Chemical Composition											
Grade	Ni%	Cu%	Fe%	1	Mn%	C%		Si%	S%		
Monel 400	Min 63	28-34	Max 2.	5	Max 2.0	Max	0.30	Max 0.50) Max 0	.024	
Monel 400 Inte	ernationa	al Branc	l								
	GE					UK		FR			
	UNS	SEW VDIUV					BS	AFN	OR		
Monel 400 N04400 W.Nr.2.4360 NiCu30Fe NA 12 Nu 30 Physical Properties Grade Density Melting Point						0					
Physical Prop	erties										
Grade	ensity				Melting Point						
Monel 400 8.83 g/c				/cm3 1300 -1				1390			
Mechanical Pr	roperties										
Alloy Tensile Strer (Rm N/mm2)			th		d strength 0.2N/mm2		Elon	Elongation(A5%)		НВ	
Monel 400 480				170 35				≥33			
Production Sta	andard										
Bar Fo		orging		Pipe		Sheet		Welding Wire			
Standard AS	STM B16	4 AS	STM B564		ASTM B1	165 ASTM		B127	B127 ERNiCu-		

Our Product Introduction

Monel K-500(UNS N05500)

化学成分 Chemical Composition	合金	%	镍Ni	铜Cu	铁Fe	铝AL	碳C	钛Ti	猛Mn	硅Si	硫P
		最小min	63	27		2.30	-	0.35	-		-
	500	最大max	-	33	2.0	3.15	0.08	0.85	1.5	0.5	0.01
物理特性	密度 Density 8.05g/cm ³										
Physical Characteristics	/ / / / / / / / / / / / / / / / / / /										
在常温下合金 的机械性能的 最小值	典	型机械性能		抗拉强度 Rm N/mm ²		屈服强度 P0.2 N/m		延伸率 A5%		测试温度 Test ℃	
		固溶处理		1100		790		20		常温	
特性 characteristic		MONEL K5 度和硬度。						虫性能,	日是具有更	高的机械	强
金相结构 Metallographic structure	Monel500合金的组织为高强度的单相固溶体										
耐腐蚀性 Corrosion resistance		Monel k-500 海水中比铜排 可耐氢氟酸 [。] 性极佳,而且 空气中连续 Monel500合	基合金更 中为数极; 且孔蚀、) 工作的最;	具耐蚀性。 少的重要材 应力腐蚀等 高温度一般	Monel50 树之一。 作也很少发 在600°C	0在浓度小 水腐蚀:M 现,腐蚀 左右,在和	、于85%的 lonel500 速度小于 高温蒸汽の	的硫酸中都 合金在多 0.025mn 中,腐蚀	B是耐蚀的 数水腐蚀物 h/a。高温J 速度小于0	i:Monel k- 記下,不 寓蚀:Mone	500是 仅耐蚀
应用范围 应用领域 Application		主要用于制试 的紧固件、3								1、用于制道	自治的
	M								~		

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

- B: 30% T/T deposit, 70% balance against BL.
- C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

E Suzhou Industrial PARK Qingsen Trading Co., Ltd.

🕓 +8613815258017 🔄 sales@qingsensz.com.cn 📀 specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park