## Monel 400 K500 Nickel Alloy Bar

## **Basic Information**

Place of Origin: China
Brand Name: Qingsen
Model Number: Monel K-500
Minimum Order Quantity: 1-2 ton
Price: negotiable
Packaging Details: carton box
Delivery Time: 15-20 days

Payment Terms: Western Union, MoneyGram, T/T



## **Product Specification**

• Type: Nickel Bar

• Grade: 2m,3m,5.8m, 6m, 8m Or As Required

Diameter: 2 - 500mmCertificate: ISO9001

• Technology: Cold Rolled/hot Rolled

Standard: ASTM ASMESurface: Pickled BrightDensity: 8.83 G/cm3

• Highlight: K500 Nickel Alloy Bar,
Monel 400 Nickel Alloy Bar,

2m nickel alloy round bar

## **Product Description**

Round Bar Cheap Price NO4400 Monel 400 K-500 NO5500 R405 NO4405 Nickel Alloy bar

nound D	ai Cheap Phice NO4400 Mohei 400 K-500 NO5500 K405 NO4405 Nickei Alloy b
	Duplex: 2205(UNS S31803/S32205),2507(UNS S32750),UNS S32760(Zeron 100),2304,904L
	Others: 253Ma,254SMo,654SMo,F50(UNS S32100)F60,F61,F65,1J22,N4,N6 etc
	Alloy : Alloy 20/28/31;
	Hastelloy: Hastelloy B/ -2/B-3/C22/C-4/S/ C276/C-2000/G-35/G-30/X/N/g;
	Hastelloy B / UNS N10001, Hastelloy B-2 / UNS N10665 /
	DIN W. Nr. 2.4617, Hastelloy C, Hastelloy C-4 / UNS N06455 / DIN W. Nr.
	2.4610,Hastelloy C-22 / UNS N06022 / DIN W. Nr.
	2.4602, Hastelloy C-276 /
	UNS N10276 / DIN W. Nr. 2.4819, Hastelloy X / UNS N06002 / DIN W. Nr. 2.4665
	Haynes: Haynes 230/556/188;
	Inconel 718 / UNS N07718 / DIN W. Nr. 2.4668,Inconel 601 / UNS N06601 / DIN W. Nr. 2.4851,
	Inconel 625 / UNS N06625 / DIN W. Nr. 2.4856,Inconel 725 / UNS
Grade	N07725,Inconel X-750 / UNS N07750 / DIN W. Nr. 2.4669,Inconel 600 /
	UNS N06600 / DIN W. Nr. 2.4816
	Monel: Monel 400/K500/R405
	Nimonic: Nimonic 40/50/6075/80A/90/A263 ;
Surface Finish	polish bright black
	JIS/SUS/GB/DIN/ASTM/AISI/EN
Techniqu e	Cold Rolled; Hot Rolled
Diameter	3-480mm
Length	3000mm, 4000mm,5800mm,6000mm,12000mm,or as required.
Applicati on	Widely used in petroleum,foodstuff,chemical industry,construction, electric power,nuclear,energy,machinery,biotechnology,paper making,shipbuilding,boiler fields.
Lead Time	7-15 working days after the receipt of 30% deposit
Payment Terms	30% TT for deposit,70% TT /70% LC at sight balance before shipment
Price Terms	FOB, EXW, CIF, CFR
Packing	Standard Seaworthy Package or according to customer's requirements
Containe	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM
r Size	40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM

Chemical Co	mpc	sition										
Grade Ni%		% Cu%		Fe%	Mn%		C% S		i%	S%	S%	
Monel 400 Mir		n 63	28-34	Max 2.	5	Max 2.0	Max 0.30 M		1ax 0.50	0 Max	0.024	
Monel 400 Ir	ntern	ationa	l Brand									
USA			GE				UK		FR			
UN		UNS	SEW V		JIU۱	/		BS		AFN	IOR	
Monel 400 NO		N0440	00	W.Nr.2.4360 NiCu30I			e	NA 12		2 Nu	30	
Physical Pro	perti	es										
Grade		Dens	Density			Melting Point						
Monel 400		8.83	3.83 g/cm3			1300°C-1390°C						
Mechanical	Prop	erties										
IAIIOV		ensile Strength Rm N/mm2)		h	Yield strength (RP0.2N/mm2		Elongation(A5°		5%)	НВ		
Monel 400 4		80			170			35			≥331	
Production S	Stanc	dard			,			•			•	
	Bar		Fo	Forging		Pipe		Sheet/S	trip	Welding Wire		
Standard	ASTI	M B16	4 AS	TM B56	4	ASTM B165		ASTM B127		ERNiCu-7		

# → Monel K-500(UNS N05500)

化学成分	合金	%	镍Ni	铜Cu	铁Fe	铝AL	碳C	钛Ti	猛Mn	硅Si	硫F
Chemical Composition	500	最小min	63	27		2.30	-	0.35	-	-	-
	500	最大max	-	33	2.0	3.15	0.08	0.85	1.5	0.5	0.0
物理特性 Physical Characteristics	密度 Density 8.05g/cm <sup>3</sup>										
	焙点 Melting point 1288-1343℃										
在常温下合金 Rm 的机械性能的 最小值	典	型机械性能	2.0	抗拉强度 Rm N/mm²		屈服强度 RP0.2 N/mm <sup>2</sup>		延伸率 A5%		测试温度 Test ℃	
	1100		790				常温				
1.01-								蚀性能, 作	旦是具有更	厄高的机械	强
金相结构 Metallographic structure	Monel500合金的组织为高强度的单相固溶体										
耐腐蚀性 Corrosion resistance		Monel k-500 海水中比铜 可耐氢氟酸。 性极佳,而且 空气中连续。 Monel500合	基合金更 中为数极 且孔蚀、 工作的最	具耐蚀性。 少的重要权 应力腐蚀等 高温度一般	Monel50 料之一。 也很少发 在600°C	0在浓度小水腐蚀:M 水腐蚀:M 现,腐蚀 左右,在高	v于85%的 lonel500 速度小于 高温蒸汽	的硫酸中都合金在多 0.025mm 中,腐蚀	限是耐蚀的 数水腐蚀物 /a。高温/ 速度小于0	]:Monel k- 情况下,不 腐蚀:Mone	500是 仅耐饱 1500在
应用范围 应用领域 Application		主要用于制造的紧固件、多								六,用于制造	5船舶.
	A			Ļ					en.		

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018. Our products cover more than 800 kinds which include Door Lock System. Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need. Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry. when you need any parts related to a truck or trailer or container of anykind. Qingsen is your world-wide ONE-STOP SHOP. With more than 500 suppliers and factories nationwide, we help you get the projects donequickly and correctly.

#### Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35~days

Q3: What countries have you exported to?

A: Worldwide!

#### Q4: Do you have MOQ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

#### Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

### Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

### Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

# Suzhou Industrial PARK Qingsen Trading Co., Ltd.

+8613815258017

sales@qingsensz.com.cn



Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park