

K500 Monel Alloy 400 R405 Incoloy Alloy 800 800H 800HT 825 Wire Inconel Welding Wire Rod

Basic Information

- Place of Origin:
- Brand Name:
- Monel 400 Model Number:
- Minimum Order Quantity:
- Price: negotiable carton box
- Packaging Details:
- Delivery Time: 15-20 days
- Payment Terms: Western Union, MoneyGram, T/T

China

Qingsen

1-2 ton



Product Specification

Diameter: 0.8, 1.0, 1.2, 1.6, 2.0, 2.4, 3.0 Material: Ni Cr Mo 8.4 G/cm3 • Density: AWS A5.14 Standard: • Powder: Not Powder • Certificate: ISO9001 • Tensile Strength: 483mpa Elongation: 30% • Highlight: K500 Monel Alloy 400, Monel Alloy 400 R405, Incoloy Alloy 800 Wire

Product Description

Monel 400 Alloy k500 Monel R405 Incoloy Alloy 800 800H 800HT 825 wire Inconel welding wire rod Price Per Kg preis pro kg

Monel filler Metal 60 welding wire/rod is used for gas-tungsten-arc and gas-metal-arc welding of monel alloy 400, R404, and K-500. it is also used for surfacing of steel by the gas-metal-arc or submerged-arc processes.

Weld metal deposited by monel filler metal 60 has properties similar to those of monel alloy 400. it has good strength and resists corrosion in many media, including sea water, salts, and reducing acids.

lte m	ERNiCrM o-3	ERNiCrM o-4	ErNiCrMo- 13	ERNiCrF e-7	ERNiCr- 3	ERNiCu -7	ERCuN i	ERNi -1
С	0.1	0.02	0.01	0.04	0.1	0.15	0.03	0.15
Mn	0.05	1	0.5	1	2.5-3.5	4	0.5-1.0	1
Fe	5	4-7	1.5	7-11	3	2.5	0.65	1
Ρ	0.02	0.04	0.015	0.02	0.03	0.02	0.01	0.03
S	0.015	0.03	0.005	0.015	0.015	0.015	0.01	0.015
Si	0.05	0.08	0.1	0.5	0.5	1.25	0.15	0.75
Cu	0.5	0.5	N/A	0.3	0.5	rest	rest	0.25
Ni	≥58	rest	rest	rest	≥67	62-69	30-32	≥93
Co	N/A	2.5	0.3	N/A	N/A	N/A	N/A	N/A
Al	0.4	rest	0.1-0.4	1.1	N/A	1.25	0.15	1.5
Ti	0.4	2.5	N/A	1	0.75	1.5-3	0.5	2-3.5
Cr	20-23	N/A	22-24	28.5-31	18.0- 22.0	N/A	N/A	N/A
Nb+ Ta	3.5-4.15	N/A	1.8-2.5	0.01	2.0-3.0	N/A	N/A	N/A
Мо	8.0-10	15-17	15-16	0.5	N/A	N/A	N/A	N/A
V	N/A	0.35	N/A	N/A	N/A	N/A	N/A	N/A
W	N/A	3.0-4.5	N/A	N/A	N/A	N/A	N/A	N/A
Res t	≤0.50	≤0.50	≤0.50	≤0.50	≤0.50	≤0.50	≤0.50	≤0.50

Monel 400(UNS N04400/W.Nr.2.4360)

	合金	%	镍Ni	铜Cu	铁Fe	碳C	猛Mn	硅Si	硫P	
化学成分 Chemical	400	最小min	63	28			-	-	-	
Composition	400	最大max	-	34	2.5	0.3	2	0.5	0.024	
物理特性	密度 Density			8.83g/cm ³						
Physical Characteristics	熔点 Melting point			1300-1390°C						
在常温下合金的机械性能的	典型机械性能			i强度 V/mm ²	屈服强度 RP0.2 N/mm ²		延伸率 A5%		测试温度 Test ℃	
最小值		固溶处理		30 170			35	常温		
特性 characteristic 耐腐蚀性 Corrosion resistance		气介质中有仍 水、大气、4 他能良好。 Monel400合基 水中比铜氢鱼 即耐氢鱼 中砂量,而 场生。	は异的耐蚀性 第机化合物等 全在氟气、盐 金更具耐蚀 沖力数极少 迫孔化会 加化合物等 (中) 二、土 二、土 二、土 二、土 二、土 二、土 二、土 二、土	,对执浓碱 的腐蚀。该 酸、硫酸、 性。Monel4 的重要材料。 力腐蚀等也 温度一般在	*泛综合性能极 液也有优良的 富氟酸以及它 100在浓度小干 之一。水腐壊 200°Cな石,石 35°C以下无水(耐腐蚀性。 要特征是一 们的派生物 85%的磁商 Monel400g 虫速度小于 高温蒸汽中	同时耐中性; 般不产生应; 中有极优秀 读中都具耐蚀 含金在多数水 0.025mm/a; P,腐蚀速度	容液、水、注 力腐蚀裂纹, 的耐蚀性。 的 Monei40 (腐蚀情况下 高温腐蚀:M {小于0.026r	每 切削 同时在海 0 5,不仅而 onel400	
									nnva, p	
应用范围 应用领域 Application		Monel400合3 1.动力工厂中 2.海水交换器 4.原油蒸馏 5.在海水使用于 6.核工业用于 7.制造生产盐	的无缝输水(和蒸发器 环境 设备的泵轴) 制造铀提炼;	管、蒸汽管 和螺旋桨 和同位素分	在许多工业领	域都能应用]:		iniva, p	

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

W Suzhou Industrial PARK Qingsen Trading Co., Ltd.

sales@qingsensz.com.cn

(+8613815258017

specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park