

## Nickel Alloy Monel K500 Plate Monel 400 Cold Rolled Hot Rolled 1mm-30mm

## **Basic Information**

- Place of Origin:
- Brand Name:
- Monel 400 Model Number:
- 1-2 ton • Minimum Order Quantity:
- Price: negotiable carton box
- Packaging Details:
- Delivery Time: 15-20 days
- Payment Terms: Western Union, MoneyGram, T/T



## **Product Specification**

- Application:
- Shape:
- Thickness:
- Standard:
- Surface:
- Width:
- Powder:
- Elongation:
- Highlight:

## Industry Nickle Alloy Sheet

China

Qingsen

- 1mm~30mm Or Custom
- **ASTM B4575**
- 2B/BA/NO1/4K/8K
- 10~2000mm Or Custom
  - Cold Rolled Hot Rolled
    - 30%
    - Nickel Alloy Monel K500 Plate, Monel K500 Plate Monel 400, Hot Rolled monel k500 sheet

**Our Product Introduction** 

## **Product Description**

#### Monel 400 Nickel Alloy 400 Wire Monel k500 Plate

Monel 400 application range application domain has. Monel 400 alloy is a versatile material that can be used in many industrial domains. 1. Seamless water pipes and steam pipes in power plants 2. Seawater exchangers and evaporators 3. Sulfuric and hydrochloric acid environments 4. Crude oil distillation 5. Pump shafts and propellers for equipment used in seawater 6. Nuclear industry equipment for the manufacture of uranium refining and isotope separation 7. Pumps and valves for equipment used in the manufacture of hydrochloric acid production

	nickel alloy plate				
Froduct mame	Hot rolled:3.0-180mm				
Thickness	Hot rolled:3.0-180mm				
Thickness	Cold rolled:0.15mm-10mm				
l Width	10~2000mm				
Length Surface	1000mm-6000mm or as customer's requirement				
	2B, 2D, HL				
Technique	Hot rolled or Cold rolled				
	Hastelloy: hastelloyB3/B2/X/C/C22/C276/G-30				
	Inconel: inconel600/625/718/725,				
	Incoloy: incoloy800/800h/825/925,				
Grade	Monel: monel400/k500/404,				
	Nickel: nickel200/201,				
	Nitronic: Nitronic50/60, Allow Allow 0/20/220/21/22/75 A 226/1 /50/1 /20/4 20/4 42 /2 /52				
	Alloy: Alloy20/28/330/31/33/75, 4J36/1J50/1J79/4J29/4J42,/3J53 Nimonic: nimonic80/80a/90/75. ETC.				
	EXW/FOB/CFR/CIF/FCA				
Price Term					
Package	Woven bag /Wooden crate				
	40 Days				
Production Time	10-15 days depending on processing requirement & business season				
Payment					
Term	T/T,L/C,Western Union,etc.				
	I Ireland,Singapore,Indonesia,Ukraine,SaudiArabia,Spain,Canada,USA,Brazil				
	Thailand,				
Export to	Korea.				
	,India, Egypt, Oman, Malaysia, Bangladesh, Dubai, VietNam, Kuwait, Peru, Mexic				
	0,				
	Russia,etc.				
	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM				
1	40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM				
	40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM				
Contact	If you have any question, please feel free to contact me.				

**Our Product Introduction** 

# Monel 400(UNS N04400/W.Nr.2.4360)

	合金	%	镍Ni	铜Cu	铁Fe	碳C	猛Mn	硅Si	硫P
化学成分 Chemical Composition	400	最小min	63	28			-	-	-
	400	最大max	-	34	2.5	0.3	2	0.5	0.024
物理特性 Physical Characteristics	密度	Density		8.83g/cm <sup>3</sup>					
	熔点 Melting point			1300-1390°C					
在常温下合金 的机械性能的 最小值	典型机械性能			i强度 V/mm <sup>2</sup>	屈服强度 RP0.2 N/mm <sup>2</sup>				li式温度 Гest ℃
	固溶处理		48	0	170		35	常温	
特性 characteristic 耐腐蚀性 Corrosion resistance	Monel400是一种用量最大、用途是广泛综合性能极佳的耐腐蚀合金。此合金在氢氟酸和氟 气介质中有优异的耐蚀性,对执浓碱液也有优良的耐腐蚀性。同时耐中性溶液、水、海 水、大气、有机化合物等的腐蚀。该合金的一个重要特征是一般不产生应力腐蚀裂纹、切削 性能良好。 Monel400合金在氟气、盐酸、硫酸、氢氟酸以及它们的派生物中有极优秀的耐蚀性。同时在海 水中比铜基合金更具耐蚀性。Monel400在浓度小干85%的磁商中都具耐蚀的 Monel400 是可耐氢氟酸中为数极少的重要材料之一。水腐蚀:Monel400合金在多数水腐蚀情况下,不仅耐 蚀性极佳,而且孔蚀、应力腐蚀等也很少发现,腐蚀速度小于0.025mma、高温腐蚀:Monel400 在空气中连续工作的最高温度一般在600℃左右,在高温蒸汽中,腐蚀速度小于0.026mm/a。由 于Monel400合金锭含量高,故可耐885℃以下无水氨和氨化条件下的腐蚀。								
									nnva, p
应用范围 应用领域 Application		Monel400合3 1.动力工厂中 2.海水交换器 4.原油蒸馏 5.在海水使用于 5.核工业用于 7.制造生产盐	的无缝输水( 和蒸发器 环境 设备的泵轴) 制造铀提炼;	管、蒸汽管 和螺旋桨 和同位素分	在许多工业领	域都能应用	]:		iniva, p

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

#### Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

#### Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

#### Q3: What countries have you exported to?

A: Worldwide!

#### Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

## Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

#### Q7: How is my product shipped? Will my product arrive on time?

**(**+8613815258017

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

#### Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

**W** Suzhou Industrial PARK Qingsen Trading Co., Ltd.

sales@qingsensz.com.cn 📀 specia

@ specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park