

B564 ASTM W.Nr.2.4819 Hastelloy B Hastelloy C276 Round Bar

Basic Information

- Place of Origin:
- Brand Name:
- Hastelloy B/B-2 Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- negotiable carton box 15-20 days Western Union, MoneyGram, T/T

China

Qingsen

1-2 ton

Product Specification

- Thickness:
- Outer Diameter:
- Density:
- Model Number:
- Powder Or Not:
- Surface:
- Special Use:
- Highlight:
- 8.9 G/cm3 C276 Not Powder

10.3mm~324mm

1mm~30mm

- 2B/BA/NO1/4K/8K
- Technique: Cold Drawn,Hot Drawn
 - Cold Heading Steel, Valve Steels, Free Cutting Steel
 - W.Nr.2.4819 Hastelloy B, ASTM Hastelloy B, B564 Hastelloy C276 Round Bar

Product Description

ASTM B564 W.Nr.2.4819 Hastelloy C276 round bar

One of the distinguishing features of Inconel 718's composition is the addition of niobium to permit age hardening which allows annealing and welding without spontaneous hardening during heating and cooling. The addition of niobium acts with the molybdenum

to stiffen the alloy's matrix and provide high strength without a strengthening heat treatment. Other popular nickel-chromium alloys are age hardened through the addition of aluminum and titanium.

alloys a	re age hardened through the addition of aluminum and titanium.
Produc	Jiangshu ASTM nikel alloy round bar hastelloy b c22 c276 c2000 x B2 B-3 C4 S
t Name	G35 polished bar price per kg
Туре	Cold drawn, Hot rolled, Forged,
Shape	
Standa	GB,AISI,ASTM,DIN,EN,JIS
ra	
	Stainless steel 304 / 304L / 310S / 316L / 317L / 904L / 2205 / 2507 / 32760 / 253MA / 254Mo / S31803 / S32750 / S32205 etc
	Monel 400 / Monel K-500
	Inconel 600 / Inconel 601 / Inconel 625 / Inconel 617 / Inconel 690 / Inconel 718 /
	Inconel X-750
	Incoloy A-286 / Incoloy 800 / Incoloy 800H / Incoloy 800HT
	Incoloy 825 / Incoloy 901 / Incoloy 925 / Incoloy 926
Grade	Nimonic 75 / Nimonic 80A / Nimonic 90 / Nimonic 105 / Nimonic 263 / Nimonic L-
	605
	Hastelloy B / Hastelloy B-2 / Hastelloy B-3 / Hastelloy C / Hastelloy C-276 /
	Hastelloy C-22
	Hastelloy C-4 / Hastelloy C-200 / Hastelloy G-35 / Hastelloy X / Hastelloy N
	Austenitic stainless steel 904L / XM-19 / 316Ti / 316LN / 371L / 310S / 253MA
	DP steel 254SMo / F50 / 2205 / 2507 / F55 / F60 / F61 / F65
	PH stainless steel 15-5PH / 17-4PH / 17-7PH
Diamet	6mm - 600mm
er	
	Bright, Pickling, Black, Polished,
Packin	Wooden box, Waterproof polybag
9	
lion	TUV,SGS,BV,ABS,LR and so on
	Construction shipbuilding Chemical Pharmaceutical & Bio-Medical Petrochemical
Applica	& Refinery, Environmental, Food Processing, Aviation, Chemical Fertilizer, Sewage
tion	Disposal, Desalination, Waste Incineration etc.
Proces	Machining : Turning / Milling / Planing / Drilling / Boring / Grinding / Gear Cutting /
sing	CNC Machining
Servic	Deformation processing : Bending / Cutting / Rolling / Stamping
е	Forged
Deliver	7-40 days
·	1 10 00,00
Trade	FOB CIF CFR CIP DAP DDP EXW
Term	
1 .	T/T, L/C,D/A,D/P, Western Union,MoneyGram,According to customer requirements
nt Transp	payments for offline orders.
la rtatia	
n	By air, by sea, by train, by truck
Sampl	Free
е	
Warran	Trade assurance after sales service
ty	

Hastelloy B/B-2 (UNS N10665/W.Nr.2.4617)

		Hastell											
		%	Ni	Cr	Fe	Mo	С	Mn	Si	S	Р	Co	V
1224000	в	最小min	余量		4.0	26							0.2
化学成分 Chemical Composition		最大max	余量	1.0	6.0	30	0.05	1.0	1	0.03	0.04	2.5	0.4
	B-2	最小min	余量		2.0	26							
		最大max	余量	1.0	7.0	30	0.02	1.0	0.1	0.03	0.04	1.0	
物理特性	密度 Density							9.	24g/cm	13		-	
Physical Characteristics	熔点 Melting point							133	80-1380	0°C			
在常温下合金 的机械性能的	典型机械性能			an en our proventiere			屈服强度 P0.2 N/mm ²		延伸率 A5%			布氏硬度 HB	
最小值	固溶处理			690			310			40	-		
					-				-				
特性 characteristic 金相结构 Metallographic structure	1	1.控制铁元素 3.极好的抗中 (SCC)。5. Hastelloy B- 在700-870°C	□等浓度 优秀的耐 2为面心	硫酸和 耐各种有 动方晶	許多非約 同机酸腐 路结构。	氧化性酸的能力	調蚀性. り。	, 4.很好	子的抗急	离子还	原应力腐	蚀开裂的	ŧ
characteristic 金相结构 Metallographic		3.极好的抗中 (SCC)。5. Hastelloy B-	中等浓度 优秀的m 2为面心 C间Ni4N stelloy E 复的盐酸 同时也	硫酸和 耐合种 和 力 方 相 的 一 一 和 一 和 一 和 一 和 一 和 一 二 二 前 的 一 一 二 二 前 的 一 一 二 二 前 的 一 一 二 二 前 的 一 一 二 二 前 的 一 一 二 二 前 的 一 一 二 二 二 二 二 二 二 二 二 二 二 二 二	許多非續 「相酸腐 」、 格 指 出 。 一 。 一 。 一 。 。 。 。 。 。 。 。 。 。 。 。 。	氧化性酸 強的能 通过把 量极低, 素子 和 最 和 最 和 最 一 一 一 一 一 一 一 一 一 一 一 一 一	7篇性性 力。 2制铁和 降低了 Iloy B-2 記般溶液	4.很好 铬含量 焊接热 在还原 (或者;	府的抗氯 在最小们 影性介质。 「一」	(离子还) 直,降低 炭和其它 行量的氯	原应力腐 了加工》 杂质相的 病子) 中	他开裂性 他生,阻 的析出,I 的析出,I	上了 此各好

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

- B: 30% T/T deposit, 70% balance against BL.
- C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

E Suzhou Industrial PARK Qingsen Trading Co., Ltd.

🕓 +8613815258017 🔄 sales@qingsensz.com.cn 📀 specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park