

840 825 Incoloy 800 Material 0.3-3.0mm Nickel Alloy Tube

Basic Information

- Place of Origin:
- Brand Name:
- China Qingsen

1-2 ton

negotiable

- Model Number: Incoloy 800/800H/800HT
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- carton box 15-20 days
- Western Union, MoneyGram, T/T



Product Specification

• Material:

• Type:

• Technique:

Application: Condition:

- Pure Ni 200 Ni201 Cold Rolled Hot Rolled Nickel Pipe Industry
- nicustry
- Soft Annealed Nickel Strip, Ni200,N6
- 0.3-3.0mm
 - 6.0-89.0mm
- Outer Diameter:Highlight:

Model Number:

• Wall Thickness:

825 Incoloy 800 Material, 840 Incoloy 800 Material, 3.0mm Nickel Alloy Tube

Product Description

Chinese Industrial level incoloy 840 825 800 nickel base pipe nickel alloy tube Heat treatment:
Normalized / Annealed / Quenched / tempered
Surface Treatment:
painting,plating,polishing,black oxide,transparent anti-rust oil
Quality control:
UT,MT,RT,PT,chemical composition test,mechanical property test,etc.
Inspection:
1, Raw material certificate(material chemical composition) 2, Heat treatment sheet report
3, Dimension inspection report 4, UT test report
Delivery condition:
Hot forged +Rough machined (black surface after Q /T)+ Turned
Competitive Advantage:

Quality control and management to the whole produce process, including ingot smelting, forging, heat treatment, machining and strictly final inspection prior to delivery.

Excellent product quality and service, competitive price, "in-time" delivery

Na me	Nickel alloy and stainless steel tube
d	ASTM B514,ASTM B515,ASTM B516,ASTM B517,ASTM B704
Cert ifica tion	IOS9001:2015,ISO/TS 16949:2009
Out er dia met er	6.0-89.0mm
Wall thic kne ss	0.3-3.0mm
Mat erial	304 316L 321 309S 310S INCOLOY840,INCOLOY800,INCOLOY825,INCONEL600/601,INCONEL625,HASTEL LOY C276,BT840Mo,BT800Mo
time	Within 25 days after receiving deposit
Pay men t term	T/T,L/C
Sup ply abili ty	150tons per month
Pac king	Export standard package with polywood case or ISPM 15 stamped wooden case
Infor mati	Beside the normal executive syandard.we could alse make the tubes according to your own requirements, such as wall thickness tolerance, hardness, surface requirements and etc.by different technical requirements and production technology, try our best to satisfied your.

Incoloy 800/800H/800HT

(UNS N08800/UNS N08810/UNS N08811)

		%	Ni	Cr	Fe	С	Mn	Si	Cu	S	AL	Ti	
	800	最小min	30	19							0.15	0.1	
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6	
化学成分	800H	最小min	30	19		0.05					0.15	0.1	
Chemical Composition		最大max	35	23	余量	0.1	1.5	1	0.75	0.015	0.60	0.6	
	800HT	最小min	30	19		0.06					0.15	0.1	
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6	
				铝+钛为0.85-1.20									
物理特性	密度 Density 8.0g/cm ³												
Physical Characteristics	熔点 M	Aelting point		1350-1400°C									
在常温下合金	合		典型机械性能			抗拉强度 Rm N/mm ²		屈服强度 RP0.2 N/mm ²		延伸率 A5%			
的机械性能的	8	典型				500		210		35			
最小值	80					450		180		35			
特性 characteristic 金相结构	2.很 3.很	高达500°C的 好的抗应力履 好的加工性 1为面心立方	酸的性能	20				七率增加	叮结构的	的稳定性	和		
Metallographic structure	最大	的抗敏化性以	1及抗晶间	间腐蚀性。	950°C2	左右的低	温退火伤	证了细	晶结构。				
应用范围 应用领域 Application	2.蒸 3.加	酸冷凝器—— 汽加热管—— 热元件管—— 应用于高达5	很好的机 很好的机	ι械性能 ι械性能	会供货态)	为退火态。							
6		应用于高达5		vr, 63	如何命入								

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

- B: 30% T/T deposit, 70% balance against BL.
- C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

E Suzhou Industrial PARK Qingsen Trading Co., Ltd.

🕓 +8613815258017 🔄 sales@qingsensz.com.cn 📀 specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park