

1/2" To 4" Hastelloy 904L Special Alloy C276 Full Threaded Stud Bolt

Basic Information

Place of Origin: ChinaBrand Name: Qingsen

Model Number: Incoloy 800/800H/800HT

Minimum Order Quantity: 1-2 ton
Price: negotiable
Packaging Details: carton box
Delivery Time: 15-20 days

Payment Terms: Western Union, MoneyGram, T/T



Product Specification

Size: M3-M72(3/16"- 4")
Thread Inserts Type: Thrread Rods M14-M36

• Shape: Flat.sheet Hot Rolled Steel Plate

• Surface: Plain, ZincPlated(Clear/Blue/Yellow/Black),

Black Oxide, H.D.G,

• Grade: Class 4,5,8,10,12;Grade 2,Grade 5,Grade

8:304,316

Measurement System: Metric

Material: Steel, Carbon Steel, Alloy Steel, Stainless

Steel

• Application: General Industry, Heavy Industry, Mining,

Structural Steel;

• Highlight: C276 threaded stud bolt,

Hastelloy threaded stud bolt,

4" full threaded stud



Product Description

1/2" to 4" Hastelloy 904L Special Alloy Hastelloy C276 full threaded stud bolt as per DIN975 DIN976

We can produce and process materials as well as specifications and sizes according to customers' requirements We have a large amount of stock, we can arrange shipment according to customer's demand We can arrange packing according to customer's requirement

Product Name	S32750 S32760 Threaded rod Stud Bolt
Material	Stainless Steel: 660 718
Color	Black / Blue / Yellow Zinc Plated / Plain
Standard	DIN,ASME,ASNI,ISO
Grade	Grade 4.8,Grade 8.8,Grade 10.9,Grade 12.9
Finished	Zinc Plated,Hot Dip Galvanized Steel,Dacromet,Nickel Plated,Black Oxide,Plain
Thread	Coarse, Fine
Used	Building Industry Machinery
Brade	G&T

Incoloy 800/800H/800HT (UNS N08800/UNS N08810/UNS N08811)

Incoloy	800/80	00H/800H	HT (U	INS N	0880	0/UN	3 NO	3810/	UNS	N088	311)	
化学成分 Chemical Composition		%	Ni	Cr	Fe	С	Mn	Si	Cu	s	AL	Ti
	800	最小min	30	19							0.15	0.15
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.60
	800H	最小min	30	19		0.05					0.15	0.15
		最大max	35	23	余量	0.1	1.5	1	0.75	0.015	0.60	0.60
	800HT	最小min	30	19		0.06					0.15	0.15
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.60
	铝+钛为0.85-1.20											
物理特性 Physical Characteristics	密度 Density 8.0g/cm ³											
	焙点 Melting point 1350-1400℃											
在常温下合金 的机械性能的 最小值	合					抗拉强度 Rm N/mm ²		屈服强度 RP0.2 N/mm ²		延伸率 A5%		
	8	典型	典型机械性能		500		210		35			
	80	юн				4	450		180		35	
特性 characteristic	1.在高达500℃的极高温的水性介质中具有出色的抗腐蚀性 2.很好的抗应力腐蚀的性能 3.很好的加工性											
金相结构 Metallographic structure		+ 为面心立方記 的抗敏化性以								的稳定性	和	
应用范围 应用领域 Application	2.蒸 3.加	酸冷凝器 汽加热管 热元件管 应用于高达50	很好的机 很好的机	ル械性能 ル械性能	金供货态が	 力退火态						
- фринцин	对于		00°C的环		会供货态 ^分	为退火态						

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System. Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providingthe truck body parts and trailer parts industry with the best in productsand service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.





+8613815258017



sales@qingsensz.com.cn



specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park