Super Duplex 718 825 Incoloy 800 H 600 625 601 Hastelloy C276 Special Stainless Steel 625 F468AC Hex Heavy

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: Incoloy 800/800H/800HT

China

Qingsen

- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- 1-2 ton negotiable carton box 15-20 days
- Western Union, MoneyGram, T/T



Product Specification

- Size:
- Thread:
- Shape:
- Finish:
- Grade:
- Model Number:
- Powder Or Not:
- Application:
- Highlight:
- 1/4"-6",M6-M150 Unc Unf Metric Flat.sheet Hot Rolled Steel Plate ZINC, Plain, Dacromet Class 4,5,8,10,12;Grade 2 ,Grade 5,Grade 8:304,316 Hex Bolt
- Not Powder
- General Industry, Heavy Industry, Mining, Structural Steel;
 - 825 Incoloy 800 H, 718 Incoloy 800 H, 601 alloy 800 material



Our Product Introduction

Product Description

Super Duplex 718 825 Inconel 600 Alloy 625 601 Hastelloy C276 Incoloy 800 Special Stainless Steel 625 F468AC Hex Heavy Bolts

We can produce and process materials as well as specifications and sizes according to customers' requirements We have a large amount of stock, we can arrange shipment according to customer's demand We can arrange packing according to customer's requirement

| Product Name | S32750 S32760 Threaded rod Stud Bolt |
|-----------------|--|
| Material | Stainless Steel: 660 718 |
| Color | Black / Blue / Yellow Zinc Plated / Plain |
| Standard | DIN,ASME,ASNI,ISO |
| Grade | Grade 4.8, Grade 8.8, Grade 10.9, Grade 12.9 |
| Finished | Zinc Plated,Hot Dip Galvanized Steel,Dacromet,Nickel Plated,Black Oxide,Plain |
| Thread | Coarse,Fine |
| Used | Building Industry Machinery |
| Brade | G&T |

→ Incoloy 800/800H/800HT (UNS N08800/UNS N08810/UNS N08811)

| 化学成分 Chemical Composition | | % | Ni | Cr | Fe | С | Mn | Si | Cu | S | AL | Ti | |
|---|---------------------------------|--|---------------|--------------|----------------------|-------|----------|-------------------------|------|-------|------|------|--|
| | 800 | 最小min | 30 | 19 | | | | | | | 0.15 | 0.1 | |
| | | 最大max | 35 | 23 | 余量 | 0.10 | 1.5 | 1 | 0.75 | 0.015 | 0.60 | 0.6 | |
| | 800H | 最小min | 30 | 19 | | 0.05 | | | | | 0.15 | 0.1 | |
| | | 最大max | 35 | 23 | 余量 | 0.1 | 1.5 | 1 | 0.75 | 0.015 | 0.60 | 0.6 | |
| | 000UT | 最小min | 30 | 19 | | 0.06 | | | | | 0.15 | 0.15 | |
| | 800HT | 最大max | 35 | 23 | 余量 | 0.10 | 1.5 | 1 | 0.75 | 0.015 | 0.60 | 0.6 | |
| | | | | 铝+ | 达为0.85 | -1.20 | | | | | | | |
| 物理特性 Physical Characteristics | 密度 Density 8.0g/cm ³ | | | | | | | | | | | | |
| | 熔点 Melting point 1350-1400℃ | | | | | | | | | | | | |
| 在常温下合金 的机械性能的 最小值 | 4 | 4 | | | | 抗拉强度 | | | 屈服强度 | | | 延伸率 | |
| | | dth 314 | 典型机械性能 | | Rm N/mm ² | | | RP0.2 N/mm ² | | A5% | | | |
| | 8 | 00 | 典型 | 电量的 10%(1生用6 | | 500 | | | 210 | | 35 | | |
| | 80 | он | | | | 4 | 50 | 180 | | | 35 | | |
| 特性 characteristic 金相结构 Metallographic structure | 2.很 3.很 800H | 高达500°C的 好的抗应力腐 好的加工性 1为面心立方晶 的抗敏化性以 | 蚀的性的 晶格结构。 | 。极低的 | 碳含量和 | 退高了的 | ġті : сы | | | 的稳定性 | 和 | | |
| | 1.硝 | 酸冷凝器 | 耐硝酸腐 很好的机 | | | | | | | | | | |

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

W Suzhou Industrial PARK Qingsen Trading Co., Ltd.

Second se

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park