

F53 2507 S32750 1.4410 Incoloy 800 H

Basic Information

Place of Origin: ChinaBrand Name: Qingsen

Model Number: Incoloy 800/800H/800HT

Minimum Order Quantity: 1-2 ton
 Price: negotiable
 Packaging Details: carton box
 Delivery Time: 15-20 days

Payment Terms: Western Union, MoneyGram, T/T



Product Specification

Size: M3-M72(3/16"- 4")Thread Inserts Type: Thrread Rods M14-M36

• Shape: Flat.sheet Hot Rolled Steel Plate

• Surface: Plain, ZincPlated(Clear/Blue/Yellow/Black),

Black Oxide, H.D.G,

• Grade: Class 4,5,8,10,12;Grade 2,Grade 5,Grade

8:304,316

Measurement System: Metric

• Material: Steel, Carbon Steel, Alloy Steel, Stainless

Steel

• Certificate: ISO9001:2008/TS16949

• Highlight: 1.4410 Incoloy 800 H, S32750 Incoloy 800 H,

2507 n08800 material



Product Description

Duplex Stainless Steel F53 2507 S32750 1.4410 Alloy Double Head Stud Bolt 1/2" to 4" Thread Bolts Full Thread

We can produce and process materials as well as specifications and sizes according to customers' requirements We have a large amount of stock, we can arrange shipment according to customer's demand We can arrange packing according to customer's requirement

Product Name	S32750 S32760 Threaded rod Stud Bolt
Material	Stainless Steel: 660 718
Color	Black / Blue / Yellow Zinc Plated / Plain
Standard	DIN,ASME,ASNI,ISO
Grade	Grade 4.8,Grade 8.8,Grade 10.9,Grade 12.9
Finished	Zinc Plated,Hot Dip Galvanized Steel,Dacromet,Nickel Plated,Black Oxide,Plain
Thread	Coarse, Fine
Used	Building Industry Machinery
Brade	G&T

\rightarrow

Incoloy 800/800H/800HT

(LINS N08800/LINS N08810/LINS N08811)

		%	Ni	Cr	Fe	С	Mn	Si	Cu	S	AL	Ti
化学成分 Chemical Composition	800	最小min	30	19							0.15	0.1
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6
	800H	最小min	30	19		0.05					0.15	0.1
		最大max	35	23	余量	0.1	1.5	1	0.75	0.015	0.60	0.6
	800HT	最小min	30	19		0.06					0.15	0.1
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6
				铝+	达为0.85	-1.20						
物理特性 Physical Characteristics	密度 Density 8.0g/cm³											
	熔点 Melting point 1350-1400℃											
在常温下合金	合	金				抗拉强度 Rm N/mm ²			屈服强度 RP0.2 N/mm ²		延伸率 A5%	
的机械性能的	800		典型机械性能		3	500			210		35	
最小值	80					450		180		35		
特性 characteristic 金相结构	 1.在高达500℃的极高温的水性介质中具有出色的抗腐蚀性 2.很好的抗应力腐蚀的性能 3.很好的加工性 800H为面心立方晶格结构。极低的碳含量和提高了的Ti: C比率增加了结构的稳定性和 											
Metallographic structure		的抗敏化性以								IMBAEIT	лы	
应用范围 应用领域 Application	2.蒸 3.加	酸冷凝器 汽加热管—— 热元件管—— 应用于高达5	很好的机 很好的机	l械性能 l械性能	(供货态)	 小退火态						

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018. Our products cover more than 800 kinds which include Door Lock System. Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need. Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry. when you need any parts related to a truck or trailer or container of anykind. Qingsen is your world-wide ONE-STOP SHOP. With more than 500 suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.





+8613815258017



sales@qingsensz.com.cn



specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park