

800h 800ht Alloy 800 Material Nickel Alloy Seamless Fittings Pipe Tube

Basic Information

- Place of Origin:
- Brand Name:
- China Qingsen
- Model Number: Incoloy 800/800H/800HT
- Minimum Order Quantity: 1-2 ton
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- negotiable carton box 15-20 days
- Western Union, MoneyGram, T/T



Product Specification

- Powder Or Not:
- Shape:
- Standard:
- Certificate:
- Keyword:
- Thickness:
- Size:
- Surface:
- Highlight:

Not Powder Cold Rolled, hot Rolled, forged

- ASTMB163 ASMESB163 164
- SIO BV ISO
- Seamless
- 2.77MM
 - 48.3mm
- **Bright Annealed**

800ht alloy 800 material, 800h alloy 800 material

, Seamless incoloy alloy 800

Our Product Introduction

Product Description

Nickel Alloy Incoloy 800 800h 800ht Seamless Fittings Pipe Tube Price

With wide experience and expertise, Beall Industry Group is one of the leading Incoloy manufacturers and suppliers. We have hundreds of high-qualified workers at your service. Please rest assured to get the competitive price for sale with us.

Product Name	Nickel Alloy Seamless Pipe							
Pipe Length	Single Random Length and double Random Length. SRL:3M-5.8M DRL:10-11.8M or As clients requested length.							
Size	Size 1/4" to 24" Outside Diameter 13.7 mm to 609.6 mm							
SS	SCH10, SCH20, SCH30, STD, SCH40, SCH60, SCH80, SCH100 SCH120, SCH160, XS, XXS							
	Carbon steel, Low carbon steel, Mild steel.							
Stanuar	API5L , ASTM A106 Gr.B, ASTM A53 Gr.B, ASTM A179/A192/A213/A210 /370 WP91, WP11,WP22 GB5310-2009, GB3087-2008,GB6479-2013, GB9948-2013, GB/T8163-2008, GB8162-2008,GB/T17396-2009							
Surface	Carbon steel seamless pipes :Rust-proof black painting							
Payme nt term	T/T, L/C at sight, etc							
Deliver y Time	10-40 days							
Applicat ions	 Fluid pipe Power Plant Structure pipe High and low pressure Boiler tube Seamless steel tubes for petroleum cracking Conduit pipe Scaffolding pipe pharmaceutical and ship building etc 							
Certific ate	API5L ISO 9001:2008 TUV BV etc							
End treatme nt	Under 2 inch plain end. 2 inch and above Beveled							

Incoloy 800/800H/800HT

(UNS N08800/UNS N08810/UNS N08811)

		%	Ni	Cr	Fe	С	Mn	Si	Cu	S	AL	Ti
	800	最小min	30	19							0.15	0.1
		最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6
化学成分		最小min	30	19		0.05					0.15	0.1
Chemical Composition	800H	最大max	35	23	余量	0.1	1.5	1	0.75	0.015	0.60	0.6
	OOOLIT	最小min	30	19		0.06					0.15	0.1
	800HT	最大max	35	23	余量	0.10	1.5	1	0.75	0.015	0.60	0.6
		铝+钛为0.85-1.20										
物理特性	密度 Density 8.0g/cm ³											
Physical Characteristics	熔点 Melting point 1350-1400℃											
在常温下合金	合		典型机械性能			抗拉强度 Rm N/mm ²		屈服强度 RP0.2 N/mm ²		延伸率 A5%		
的机械性能的	8	典型				500		210		35		
最小值	80					450		180		35		
特性 characteristic 金相结构	2.很 3.很	高达500°C的 好的抗应力履 好的加工性 1为面心立方	随的性能	20				七率增加	叮结构的	的稳定性	和	
Metallographic structure	最大	的抗敏化性以	1及抗晶间	间腐蚀性。	950°C2	左右的低	温退火伤	证了细	晶结构。			
应用范围 应用领域 Application	2.蒸 3.加	酸冷凝器—— 汽加热管—— 热元件管—— 应用于高达5	很好的机 很好的机	ι械性能 ι械性能	会供货态)	为退火态。						
6		应用于高达5		vr, 63	如何命入							

Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018.Our products cover more than 800 kinds which include Door Lock System.Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completelyserve for trucks, trailers, containers etc.we excel in providing our customers with the best in value by delivering the products you need.Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry.when you need any parts related to a truck or trailer or container of anykind.Qingsen is your world-wide ONE-STOP SHOP. With more than 500suppliers and factories nationwide, we help you get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

- B: 30% T/T deposit, 70% balance against BL.
- C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.

E Suzhou Industrial PARK Qingsen Trading Co., Ltd.

🕓 +8613815258017 🔄 sales@qingsensz.com.cn 📀 specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park