Nickel Alloy Hastelloy C276 Tube B2 B3 C-276 C-4 C-22 C-59 C-2000 G-30 X Seamless High Temperature Tubing

Basic Information

Place of Origin: China
Brand Name: Qingsen
Model Number: Hastelloy C-22

Minimum Order Quantity: 1-2 ton
Price: negotiable
Packaging Details: carton box
Delivery Time: 15-20 days

Payment Terms: Western Union, MoneyGram, T/T



Product Specification

Material: Monel 400 Pipes

• Surface Finish: 2B/BA/HAIRLINE/8K/NO.4/No.1 Or

Customize

• Powder: Not Powder

Quality Assurance: ISO & PED & AD2000

Model Number: Alloy B/ Alloy B-2 /UNS N1001/UNS N10665

• Process Method: Cold Drawn/ Cold Rolled

Thickness: 0.3-1200MM OD: 3-114mm

• Highlight: Nickel Alloy Hastelloy C276 Tube,

Hastelloy C276 Tube B2, B3 hastelloy c276 pipe

Product Description

Nickel alloy hastelloy c276 tube /pipe B2 B3 C-276 C-4 C-22 C-59 C-2000 G-30 X seamless high temperature tubing

ITEM	Monel and Hastelloy and Nickel Alloys
Material pipe c276 nickel alloy alloy nickel tube c276	Inconel 625 600 601 800 800h 718 725 926 X750 MONEL K-500, Monel400/2.4360, Monel 401. Hastelloy B/B-2/B-3/C22/C-4/S/ C276/C-2000/G-35/G-30/X/N/g;etc
Standard	GB, AISI, ASTM, ASME, EN, BS, DIN, JIS
Surface	2B.NO.1.,NO.4,HL,BA,BK Or customized;
Application nickel alloy 601 nickel alloy inconel 718 astm hot rolled nickel alloy inconel 718 690	Escalator, Elevator, Doors Furniture Production tools, Kitchen appliances, freezers, cold rooms Auto Parts Machinery and Packaging Equipment and Medical devices
Package	Standard export sea-worthy packing or customized
Lead Time	10-15 days after deposit
Payment	A: 100% T/T advance. (For small order.) B: 30% T/T and balance against copy of documents. C: 30% T/T advance, balance L/C at sight D: 30% T/T, balance L/C usance E: 100% L/C usance. F: 100% L/C at sight.
Sample	we could offer the sample for free charge but do not pay the cost of freight.

Hastelloy C-22 (UNS N06022/W.Nr.2.4602)

		Has	tello	y C-2	22 (L	INS V	106022	2/W.	Nr.2	.460	2)				
化学成分	合金	%	Ni	Cr	Fe	Mo	С	Mn	Si	s	Р	Со	٧	W	
Chemical	C-22	最小min	余量	20.0	2	12.5								2.5	
	0-22	最大max	余量	22.5	6	14.5	0.0015	0.5	0.08	0.02	0.02	2.5	0.35	3.	
物理特性 Physical Characteristics	密度	密度 Density				8.9g/cm ³									
	熔点	熔点 Melting point				100		13	25-137	0°C					
在常温下合金 的机械性能的 最小值	典	典型机械性能			强度 /mm²		屈服强度 RP0.2 N/mm ²			延伸率 A5%			测试温度 Test ℃		
		固溶处理			0		283			40			常温		
4+14		腐蚀性能, 蚀,缝隙腐											Mrs.c.		
		者含有氯化 御能力,包 酸、乙酸、 形成的能力	物离子 括强氧 醋酸酐	的氧化 化性物 、海水	性酸的; 质,比较 和盐溶;	混合酸。 如氯化铁 液等。Ha	Hastelloy 、氯化铜 astelloy C	C22台 . 氯、 22合金	金对各 热污染 在焊接	神化] 溶液(热影响	[环境存	有着导加 注机的	常的抵 的,甲		
特性 characteristic 金相结构 Metallographic structure		者含有氯化 御能力,包 酸、乙酸、	物离子 括强氧 醋酸酐),这样	的氧化 化性物 、海水 使它在	性酸的; 质,比较 和盐溶; 焊接状;	混合酸。 如氯化铁 液等。Ha 态下也能	Hastelloy 、氯化铜 astelloy C	C22台 . 氯、 22合金	金对各 热污染 在焊接	神化] 溶液(热影响	[环境存	有着导加 注机的	常的抵 的,甲		
characteristic 金相结构 Metallographic	1	者含有氯化 御能力,包 酸、乙酸、 形成的能力	物居强新 (22为面) (22名) (222	的年化物/ (本) (本) (本) (本) (本) (本) (本) (本) (本) (本)	性酸的; 质和盐溶状 晶格结 各多元氧化	混合酸。 短氣等。 肉。 有以一种 如液态 构。 有以一种 和。 和。 和。 和。 和。 和。 和。 和。 和。 和。	Hastelloy C 、氯化铜 astelloy C 适应很多	C22台、 氯、 22合台 种化工 质的化	合金对各 热污染 在在焊接 过程的 学流程 性。Ha	种化口溶液(溶液(热影响 应用。 T业。 istelloy	环境存有机的 有机的 较高的 C22是	有着导) 天机的 无抗晶等 19年、铅	常的抵 的,甲 克 克 克 是 量 使 的 人 种 。 是 是 是 是 是 是 是 是 是 是 是 是 是 是 是 是 是 是	够	





Qingsen, one of the industry 's leading supplier of Truck Body Parts, Trailer Accessories and Commercial vehicle components since 2018. Our products cover more than 800 kinds which include Door Lock System. Hinges, Fasteners, Cargo Control, Door Seal, Door Retainer, Buckle, Roller, E-track, Winch, Buffer, Folding Step, Deck Ring etc. And can completely serve for trucks, trailers, containers etc. we excel in providing our customers with the best in value by delivering the products you need. Our team strives for "extraordinary' in providing the truck body parts and trailer parts industry with the best in products and service which is unparalleled in the industry. when you need any parts related to a truck or trailer or container of anykind. Qingsen is your world-wide ONE-STOP SHOP. With more than 500 suppliers and factories nationwide, we help you

get the projects donequickly and correctly.

Q1: Can I have one or two samples for checking?

A: Yes, one free samples and freight collect, trial order is aslo welcome.

Q2: What's your lead time?

A: Depending on orders, usually 10~35 days

Q3: What countries have you exported to?

A: Worldwide!

Q4: Do you have MOQ?

A: Depending on exact product, usually 500 units, no MOQ if goods in stock, most products list on Alibaba we have hundreds to thousands in stock.

Q5: Can you meet my requirements like print LOGO on the product, specific packaging, etc

A: Of course! we are a profesional factory, everything can go in you way!

Q6: Can I visit your company?

A: sure, any time at your convinience, please inform us before your visit

Q7: How is my product shipped? Will my product arrive on time?

A: By sea, by air or by express carriers (UPS, FedEx, TNT) transit time depends on freight rates.

Q8: What's terms of payment?

A: 30% T/T deposit, 70% balance before delivery.

B: 30% T/T deposit, 70% balance against BL.

C: 100% in advance, L/C at sight, Western Union/ Paypal for small amount payment.





sales@gingsensz.com.cn



specialalloysteels.com

Room 916, Xinghai International Building, No.28, Wansheng Street, Suzhou Industrial Park